classic strainers







Common values for both Turkey and Europe, good reputation and efficiency, based on quality of services provided to every and each customer, excellent post-sale technical support – reasons that make us a desirable partner for your projects.

SG TEKNOLOJİ SANAYİ TİCARET A.Ş. GROUP is based on 100% turkish capital and acts under a command of experienced turkish Project Team, called up to design and produce various range of water drain strainers, HDPE Pipe Fittings and other customized solutions for you possible necessities.

Being a member of SG TEKNOLOJİ GROUP, Maxdrain brand provides solutions for drain systems. Experienced sales staff provides high-quality sale and post-sale services during the life-time of our products.

We are proud to share our experience, technology and energy with our customers to provide mutually beneficial relationship.

Sincerely yours...

Professional solutions for your construction...



Stainless Steel

Types of AISI 304 Stainless Steel Grids







ASPENDOS SERIES

OLYMPOS SERIES

ULUDAĞ SERİES

Code of Product	Size (Diameter)	Description _
0132KKY	Ø32	SIDE OUTLET
0150KKY	Ø50	SIDE OUTLET
0050KKA	Ø50	BOTTOM OUTLET

110 x 110 mm

1532KKY	Ø32	SIDE OUTLET
1550KKY	Ø50	SIDE OUTLET
0550KKA	Ø50	BOTTOM OUTLET


150 x 150 mm

Application : Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type: Fuga and cement



P150050KKA



Stainless Steel 20X20


Gelibolu Series

Code of	Size	
Product	(Diameter)	Description _
MDP 955	Ø70	SIDE OUTLET
MDP 952	Ø70	BOTTOM OUTLET

20x20 mm

Application : Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type: Fuga and cement



Our products are for usage at area where aesthetic appearance is important: shopping centers, hospitals, residences, etc. Use of the view that stress areas.

Smell catch gear prevents sewage odor to percolate through strainer. Rotating head provides ease of application.



MDP 952







Anhydrous Anti-Odor Strainers

Types of AISI 304 Stainless Steel Grids



S16

S17






OLYMPOS SERIES

ULUDAĞ SERİES

Code of Product	Size (Diameter)	Description _
0132SKY	Ø32	SIDE OUTLET
0150SKY	Ø50	SIDE OUTLET
0050SKA	Ø50	BOTTOM OUTLET

110 x 110 mm



150 x 150 mm





S150150SKY



S151550SKY



S150132SKY





S150050SKA

Application: Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type: Fuga and cement

Anhydrous Anti-Odor Strainers

Gordion Series S37

Application : Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type: Fuga and cement



Code of Product	Size (Diameter)	Description _
0132SKY	Ø32	SIDE OUTLET
0150SKY	Ø50	SIDE OUTLET
0050SKA	Ø50	BOTTOM OUTLET

110 x 110 mm

1532SKY	Ø32	SIDE OUTLET
1550SKY	Ø50	SIDE OUTLET
0550SKA	Ø50	BOTTOM OUTLET
UUUUNA	Ø30	BOTTOWOOTLET
1570SKY	Ø70	SIDE OUTLET
10700101	210	OIDE OOTEET
1570SKA	Ø70	BOTTOM OUTLET

150 x 150 mm







Anti-Odor Strainers

Types of AISI 304 Stainless Steel Grids





OLYMPOS SERIES

ULUDAĞ SERİES



1	50	11	E	AI	11	/	

Code of Product	Size (Diameter)	Description		
0132KKY	Ø32	SIDE OUTLET		
0150KKY	Ø50	SIDE OUTLET	1	110 x
0050KKA	Ø50 I	BOTTOM OUTLET		mm

110

1532KKY	Ø32	SIDE OUTLET
1550KKY	Ø50	SIDE OUTLET
0550KKA	Ø50	BOTTOM OUTLET

150 x 150 mm







Application: Bathroom, kitchen, terrace, balcony and all wet areas Insulation Type: Fuga and cement

Anhydrous Anti-Odor Strainers

Odeon Series S36

Application : Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type: Fuga and cement



Code of Product	Size (Diameter)	Description _	1
0132SKY	Ø32	SIDE OUTLET	
0150SKY	Ø50	SIDE OUTLET	110 x 110
0050SKA	Ø50	BOTTOM OUTLET	mm

1532SKY	Ø32	SIDE OUTLET
1550SKY	Ø50	SIDE OUTLET
0550SKA	Ø50	BOTTOM OUTLET

150 x 150 mm













Anhydrous Anti-Odor Strainers

Agora Series S38

Application : Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type: Fuga and cement



Code of Product	Size (Diameter)	Description _
S381501SKY	ø70	SIDE OUTLET
S381503SKY	′ Ø100	SIDE OUTLET
S381502SKA	. Ø70	BOTTOM OUTLET
S381504SKA	v Ø100	BOTTOM OUTLET

150 x 150 mm



Complete 304 stainless steel. Guarantee. Neither weather conditions nor chemical-based water and acid used in wet areas affect aesthetic appearance and durability of the product from first days of usage.

Our products are for usage at area where aesthetic appearance is important: shopping centers, hospitals, residences, etc. Use of the view that stress areas.

Smell catch gear prevents sewage odor to percolate through strainer. Rotating head provides ease of application.







Plastic, Anhydrous Anti-Odor Strainers

PS16



Code of Product	Size (Diameter)	Description _	1
PS160132SKY	⁄ Ø32	SIDE OUTLET	
PS160150SKY	⁄ Ø50	SIDE OUTLET	ľ
PS160050SKA	A Ø50 B	OTTOM OUTLET	

110 x 110 mm

PS161532SKY	Ø32	SIDE OUTLET
PS161550SKY	Ø50	SIDE OUTLET
PS160550SKA	Ø50	BOTTOM OUTLET

150 x 150 mm



PS160550SKA



Application : Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type: Fuga and cement



PS160050SKA



PS161532SKY



PS160150SKY



PS161550SKY



PS160132SKY

BALCONY, TERRACE AND BASEMENT CORNER STRAINER

Used in balconies with downspouts pass, they are used by combining with profiles from upper balcony to lower balcony. Corner balcony strainers don't cause unfavorable appearance of your building caused by classical strainers, due to aditional external profiles



Code of Product	Size (Diameter)	Description
MDTS 801	Ø 100 mm	Corner balcony strainers - Depth 55 mm
MDTS 802	Ø 70 mm	Corner balcony strainers - Depth 50 mm
MDTS 803	Ø 50 mm	Corner balcony strainers - Depth 37 mm



MDTS 805

Important Note: As this product exposed to temparature change in balconies, our corner balcony strainers have been produced of compounded raw materials. With their 15x15 upper surface width and 58mm reservoir depth, high water level has been obtained.

MDTS 802

MDTS 803

MDTS 804

Open Terrace Area Bodrum Area Wet areas Indoor parking areas Garden and open spaces

MDTS 806 Ø 100 mm



Terrace and basement corner strainers

Important Note: As this product exposed to temparature change in balconies, our corner balcony strainers have been produced of compounded raw materials.

MDTS 806









Phone: +90 (282) 650 00 51 (Pbx) Fax: +90 (282) 650 01 94 E-Mail: info@maxdrain.com Address: Muhittin Mah.Çetin Emeç Bulvarı No: 42/1 Çorlu / TEKİRDAĞ - TURKEY