



SG TECHNOLOGY
Industry & Trade Corporation

Installation Strainers



innovativestyle

 **maxdrain®**
maximum drainage system
www.maxdrain.com

A man and a woman are in a shower. The man is on the right, shirtless, wearing a white towel around his waist, and is spraying water with his hand. The woman is on the left, also wearing a white towel, and is being sprayed with water. The shower is filled with a large amount of water spray, creating a misty atmosphere. The background is a light blue wall with a showerhead and some plumbing fixtures visible.

*Improvements
for wet
areas...*





Common values for both Turkey and Europe, good reputation and efficiency, based on quality of services provided to every and each customer, excellent post-sale technical support – reasons that make us a desirable partner for your projects.

SG TEKNOLOJİ SANAYİ TİCARET A.Ş. GROUP is based on 100% turkish capital and acts under a command of experienced turkish Project Team, called up to design and produce various range of water drain strainers, HDPE Pipe Fittings and other customized solutions for you possible necessities.

Being a member of SG TEKNOLOJİ GROUP, Maxdrain brand provides solutions for drain systems. Experienced sales staff provides high-quality sale and post-sale services during the life-time of our products.

We are proud to share our experience, technology and energy with our customers to provide mutually beneficial relationship.

Sincerely yours...

Professional solutions for your construction...

make your choice

10x10 grid patterns



Efes Series

10-Efes Series



Kapadokya Series

11-Kapadokya Series



Asos Series

12-Asos Series



Artemis Series

13-Artemis Series



Aspendos Series

14-Aspendos Series



Olympos Series

15-Olympos Series



Uludağ Series

16-Uludağ Series




Topkapı Series

19-Topkapı Series



Abant Series

20-Abant Series



Rumeli Series

22-Rumeli Series




Hisar Series

23-Hisar Series



İlgaz Series

24-İlgaz Series



Series

25-Beyazıt Series



Sumela Series

26-Sumela Series




Likya Series

27-Likya Series


make your choice

15x15 grid patterns




Truva Series

17-Truva Series




Ayasofya Series

18-Ayasofya Series



Halikarnas Series

21-Halikarnas Series



Pamukkale Series

28-Pamukkale Series



Manavgat Series

29-Manavgat Series



Amanos Series

30-Amanos Series

Ground grid patterns

triangular grids

Mega Series



35-Mega Series

30-Riva Series



Riva Series

Diva Series



31-Diva Series

Platinum Series



32-Platinum Series

Elegant Series



33-Elegant Series

Safir Series



34-Safir Series

10x10

STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT

COMPATIBLE TO CERAMICS WITH NET (10x10)



Anhydrous Anti-Odor



Application : Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type : Fuga, cement or insulating materials

Grid : 110 x 110 mm AISI 304 stainless steel



Classic Anti-Odor



Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
1050SKA	Ø50	BOTTOM OUTLET
1070SKA	Ø70	BOTTOM OUTLET
1100SKA	Ø100	BOTTOM OUTLET
1032SKY	Ø32	SIDE OUTLET
1050SKY	Ø50	SIDE OUTLET
1070SKY	Ø70	SIDE OUTLET
1100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
1050KKA	Ø50	BOTTOM OUTLET
1070KKA	Ø70	BOTTOM OUTLET
1100KKA	Ø100	BOTTOM OUTLET
1032KKY	Ø32	SIDE OUTLET
1050KKY	Ø50	SIDE OUTLET
1070KKY	Ø70	SIDE OUTLET
1100KKY	Ø100	SIDE OUTLET



Rumeli Series



Kapadokya Series



İlgaz Series



Efes Series



Beğazıt Series



Aspendos Series



Olympos Series



Uludağ Series



Lıkya Series



Topkapı Series



Asos Series



Artemis Series



Hisar Series



Sumela Series



Abant Series

Strainers Without Anti-odor feature

Code of Product	Size(Diameter)	Description
105000A	Ø50	BOTTOM OUTLET
107000A	Ø70	BOTTOM OUTLET
110000A	Ø100	BOTTOM OUTLET
103200Y	Ø32	SIDE OUTLET
105000Y	Ø50	SIDE OUTLET
107000Y	Ø70	SIDE OUTLET
110000Y	Ø100	SIDE OUTLET



STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT PLASTIC FLANGE (10x10)



Anhydrous Anti-Odor



Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : Net and liquid insulation materials
Grid : 110 x 110 mm AISI 304 stainless steel

Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
2050SKA	Ø50	BOTTOM OUTLET
2070SKA	Ø70	BOTTOM OUTLET
2100SKA	Ø100	BOTTOM OUTLET
2032SKY	Ø32	SIDE OUTLET
2050SKY	Ø50	SIDE OUTLET
2070SKY	Ø70	SIDE OUTLET
2100SKY	Ø100	SIDE OUTLET


Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
2050KKA	Ø50	BOTTOM OUTLET
2070KKA	Ø70	BOTTOM OUTLET
2100KKA	Ø100	BOTTOM OUTLET
2032KKY	Ø32	SIDE OUTLET
2050KKY	Ø50	SIDE OUTLET
2070KKY	Ø70	SIDE OUTLET
2100KKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer



Strainers without Anti-odor feature



Code of Product	Size(Diameter)	Description
205000A	Ø50	BOTTOM OUTLET
207000A	Ø70	BOTTOM OUTLET
210000A	Ø100	BOTTOM OUTLET
203200Y	Ø32	SIDE OUTLET
205000Y	Ø50	SIDE OUTLET
207000Y	Ø70	SIDE OUTLET
210000Y	Ø100	SIDE OUTLET



■ STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT STAINLESS FLANGE (10x10)



Anhydrous Anti-Odor

Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : TPO, PVC, EPDM and Bituminous membrane compatible
Grid : 110 x 110 mm AISI 304 stainless steel



Classic Anti-Odor


Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
3050SKA	Ø50	BOTTOM OUTLET
3070SKA	Ø70	BOTTOM OUTLET
3100SKA	Ø100	BOTTOM OUTLET
3032SKY	Ø32	SIDE OUTLET
3050SKY	Ø50	SIDE OUTLET
3070SKY	Ø70	SIDE OUTLET
3100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
3050KKA	Ø50	BOTTOM OUTLET
3070KKA	Ø70	BOTTOM OUTLET
3100KKA	Ø100	BOTTOM OUTLET
3032KKY	Ø32	SIDE OUTLET
3050KKY	Ø50	SIDE OUTLET
3070KKY	Ø70	SIDE OUTLET
3100KKY	Ø100	SIDE OUTLET


Strainers without Anti-odor feature



Code of Product	Size(Diameter)	Description
305000A	Ø50	BOTTOM OUTLET
307000A	Ø70	BOTTOM OUTLET
310000A	Ø100	BOTTOM OUTLET
303200Y	Ø32	SIDE OUTLET
305000Y	Ø50	SIDE OUTLET
307000Y	Ø70	SIDE OUTLET
310000Y	Ø100	SIDE OUTLET


10x10

STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT WITH PLASTIC FLANGE AND NET (10x10)



Anhydrous Anti-Odor

Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : Net and liquid insulation materials
Grid : 110 x 110 mm AISI 304 stainless steel



Classic Anti-Odor

Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
4050SKA	Ø50	BOTTOM OUTLET
4070SKA	Ø70	BOTTOM OUTLET
4100SKA	Ø100	BOTTOM OUTLET
4032SKY	Ø32	SIDE OUTLET
4050SKY	Ø50	SIDE OUTLET
4070SKY	Ø70	SIDE OUTLET
4100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
4050KKA	Ø50	BOTTOM OUTLET
4070KKA	Ø70	BOTTOM OUTLET
4100KKA	Ø100	BOTTOM OUTLET
4032KKY	Ø32	SIDE OUTLET
4050KKY	Ø50	SIDE OUTLET
4070KKY	Ø70	SIDE OUTLET
4100KKY	Ø100	SIDE OUTLET

Strainers without Anti-odor feature



Code of Product	Size(Diameter)	Description
405000A	Ø50	BOTTOM OUTLET
407000A	Ø70	BOTTOM OUTLET
410000A	Ø100	BOTTOM OUTLET
403200Y	Ø32	SIDE OUTLET
405000Y	Ø50	SIDE OUTLET
407000Y	Ø70	SIDE OUTLET
410000Y	Ø100	SIDE OUTLET

10x10

STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT WITH STAINLESS STEEL FLANGE AND NET (10x10)



Anhydrous Anti-Odor




Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : Net and liquid insulation materials
Grid : 110 x 110 mm AISI 304 stainless steel

Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
5050SKA	Ø50	BOTTOM OUTLET
5070SKA	Ø70	BOTTOM OUTLET
5100SKA	Ø100	BOTTOM OUTLET
5032SKY	Ø32	SIDE OUTLET
5050SKY	Ø50	SIDE OUTLET
5070SKY	Ø70	SIDE OUTLET
5100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
5050KKA	Ø50	BOTTOM OUTLET
5070KKA	Ø70	BOTTOM OUTLET
5100KKA	Ø100	BOTTOM OUTLET
5032KKY	Ø32	SIDE OUTLET
5050KKY	Ø50	SIDE OUTLET
5070KKY	Ø70	SIDE OUTLET
5100KKY	Ø100	SIDE OUTLET



Classic Anti-Odor



Rumeli Series Kapadokya Series Ilgaz Series Efes Series Beyazıt Series
 Aspendos Series Olympos Series Uludağ Series Likya Series Topkapı Series
 Asos Series Artemis Series Hisar Series Sumela Series Abant Series

Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
505000A	Ø50	BOTTOM OUTLET
507000A	Ø70	BOTTOM OUTLET
510000A	Ø100	BOTTOM OUTLET
503200Y	Ø32	SIDE OUTLET
505000Y	Ø50	SIDE OUTLET
507000Y	Ø70	SIDE OUTLET
510000Y	Ø100	SIDE OUTLET



STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT

STAINLESS FLANGE MEMBRANE (10x10)



Anhydrous Anti-Odor



Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : Bituminous membrane compatible
Grid : 110 x 110 mm AISI 304 stainless steel

Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
6050SKA	Ø50	BOTTOM OUTLET
6070SKA	Ø70	BOTTOM OUTLET
6100SKA	Ø100	BOTTOM OUTLET
6032SKY	Ø32	SIDE OUTLET
6050SKY	Ø50	SIDE OUTLET
6070SKY	Ø70	SIDE OUTLET
6100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer


Code of Product	Size(Diameter)	Description
6050KKA	Ø50	BOTTOM OUTLET
6070KKA	Ø70	BOTTOM OUTLET
6100KKA	Ø100	BOTTOM OUTLET
6032KKY	Ø32	SIDE OUTLET
6050KKY	Ø50	SIDE OUTLET
6070KKY	Ø70	SIDE OUTLET
6100KKY	Ø100	SIDE OUTLET



Classic Anti-Odor

Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
605000A	Ø50	BOTTOM OUTLET
607000A	Ø70	BOTTOM OUTLET
610000A	Ø100	BOTTOM OUTLET
603200Y	Ø32	SIDE OUTLET
605000Y	Ø50	SIDE OUTLET
607000Y	Ø70	SIDE OUTLET
610000Y	Ø100	SIDE OUTLET





STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT

Close to Wall (10x10)



Anhydrous Anti-Odor

Application : Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type : Fuga, cement or insulating materials

Grid : 110 x 110 mm AISI 304 stainless steel



Classic Anti-Odor



Anhydrous Anti-Odor Strainers



Code of Product	Size(Diameter)	Description
7050SKA	Ø50	BOTTOM OUTLET
7070SKA	Ø70	BOTTOM OUTLET
7100SKA	Ø100	BOTTOM OUTLET
7032SKY	Ø32	SIDE OUTLET
7050SKY	Ø50	SIDE OUTLET
7070SKY	Ø70	SIDE OUTLET
7100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
7050KKA	Ø50	BOTTOM OUTLET
7070KKA	Ø70	BOTTOM OUTLET
7100KKA	Ø100	BOTTOM OUTLET
7032KKY	Ø32	SIDE OUTLET
7050KKY	Ø50	SIDE OUTLET
7070KKY	Ø70	SIDE OUTLET
7100KKY	Ø100	SIDE OUTLET

Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
705000A	Ø50	BOTTOM OUTLET
707000A	Ø70	BOTTOM OUTLET
710000A	Ø100	BOTTOM OUTLET
703200Y	Ø32	SIDE OUTLET
705000Y	Ø50	SIDE OUTLET
707000Y	Ø70	SIDE OUTLET
710000Y	Ø100	SIDE OUTLET



10x10

STRAINERS WITH CONTROL AND ISOLATION SKIRT

CERAMICS AND NET COMPATIBLE (10x10)



Anhydrous Anti-Odor

Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : Fuga, cement or insulating materials
Grid : 110 x 110 mm AISI 304 stainless steel



Classic Anti-Odor



Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
8050SKA	Ø50	BOTTOM OUTLET
8070SKA	Ø70	BOTTOM OUTLET
8100SKA	Ø100	BOTTOM OUTLET
8032SKY	Ø32	SIDE OUTLET
8050SKY	Ø50	SIDE OUTLET
8070SKY	Ø70	SIDE OUTLET
8100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
8050KKA	Ø50	BOTTOM OUTLET
8070KKA	Ø70	BOTTOM OUTLET
8100KKA	Ø100	BOTTOM OUTLET
8032KKY	Ø32	SIDE OUTLET
8050KKY	Ø50	SIDE OUTLET
8070KKY	Ø70	SIDE OUTLET
8100KKY	Ø100	SIDE OUTLET



Rumeli Series



Kapadokya Series



İlgaz Series



Efes Series



Beyazıt Series



Aspendos Series



Olímpos Series



Uludağ Series



Likya Series



Topkapı Series



Asos Series



Artemis Series



Hisar Series



Sumela Series



Abant Series

Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
805000A	Ø50	BOTTOM OUTLET
807000A	Ø70	BOTTOM OUTLET
810000A	Ø100	BOTTOM OUTLET
803200Y	Ø32	SIDE OUTLET
805000Y	Ø50	SIDE OUTLET
807000Y	Ø70	SIDE OUTLET
810000Y	Ø100	SIDE OUTLET



STRAINERS WITH CONTROL AND ISOLATION SKIRT COMPATIBLE TO CERAMICS WITH NET (10x10)




Anhydrous Anti-Odor

Application : Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type: Fuga, cement or insulating materials

Grid : 110 x 110 mm AISI 304 stainless steel



Classic Anti-Odor



Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
9050SKA	Ø50	BOTTOM OUTLET
9070SKA	Ø70	BOTTOM OUTLET
9100SKA	Ø100	BOTTOM OUTLET
9032SKY	Ø32	SIDE OUTLET
9050SKY	Ø50	SIDE OUTLET
9070SKY	Ø70	SIDE OUTLET
9100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
9050KKA	Ø50	BOTTOM OUTLET
9070KKA	Ø70	BOTTOM OUTLET
9100KKA	Ø100	BOTTOM OUTLET
9032KKY	Ø32	SIDE OUTLET
9050KKY	Ø50	SIDE OUTLET
9070KKY	Ø70	SIDE OUTLET
9100KKY	Ø100	SIDE OUTLET

Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
905000A	Ø50	BOTTOM OUTLET
907000A	Ø70	BOTTOM OUTLET
910000A	Ø100	BOTTOM OUTLET
903200Y	Ø32	SIDE OUTLET
905000Y	Ø50	SIDE OUTLET
907000Y	Ø70	SIDE OUTLET
910000Y	Ø100	SIDE OUTLET



Rumeli Series



Kapadokya Series



İlgaz Series



Efes Series



Beyazıt Series



Aspendos Series



Olympos Series



Uludağ Series



Lıkya Series



Topkapı Series



Asos Series



Artemis Series




Hisar Series



Sumela Series




Abant Series



■ STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT

INSULATION COMPATIBLE (15x15)



Anhydrous Anti-Odor

Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : Fuga, cement or insulating materials
Grid : 150 x 150 mm AISI 304 stainless steel



Classic Anti-Odor




Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
1050SKA	Ø50	BOTTOM OUTLET
1070SKA	Ø70	BOTTOM OUTLET
1100SKA	Ø100	BOTTOM OUTLET
1032SKY	Ø32	SIDE OUTLET
1050SKY	Ø50	SIDE OUTLET
1070SKY	Ø70	SIDE OUTLET
1100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
1050KKA	Ø50	BOTTOM OUTLET
1070KKA	Ø70	BOTTOM OUTLET
1100KKA	Ø100	BOTTOM OUTLET
1032KKY	Ø32	SIDE OUTLET
1050KKY	Ø50	SIDE OUTLET
1070KKY	Ø70	SIDE OUTLET
1100KKY	Ø100	SIDE OUTLET

Strainers without Anti-odor feature



Code of Product	Size(Diameter)	Description
105000A	Ø50	BOTTOM OUTLET
107000A	Ø70	BOTTOM OUTLET
110000A	Ø100	BOTTOM OUTLET
103200Y	Ø32	SIDE OUTLET
105000Y	Ø50	SIDE OUTLET
107000Y	Ø70	SIDE OUTLET
110000Y	Ø100	SIDE OUTLET



■ STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT

PLASTIC FLANGE (15x15)

Anhydrous Anti-Odor Strainers



Anhydrous Anti-Odor



Code of Product	Size(Diameter)	Description
2050SKA	Ø50	BOTTOM OUTLET
2070SKA	Ø70	BOTTOM OUTLET
2100SKA	Ø100	BOTTOM OUTLET
2032SKY	Ø32	SIDE OUTLET
2050SKY	Ø50	SIDE OUTLET
2070SKY	Ø70	SIDE OUTLET
2100SKY	Ø100	SIDE OUTLET

Application : Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type : Net and liquid insulation materials

Grid : 150 x 150 mm AISI 304 stainless steel

Classic Anti-Odor Strainer




Classic Anti-Odor



Code of Product	Size(Diameter)	Description
2050KKA	Ø50	BOTTOM OUTLET
2070KKA	Ø70	BOTTOM OUTLET
2100KKA	Ø100	BOTTOM OUTLET
2032KKY	Ø32	SIDE OUTLET
2050KKY	Ø50	SIDE OUTLET
2070KKY	Ø70	SIDE OUTLET
2100KKY	Ø100	SIDE OUTLET

Strainers without Anti-odor feature




Code of Product	Size(Diameter)	Description
205000A	Ø50	BOTTOM OUTLET
207000A	Ø70	BOTTOM OUTLET
210000A	Ø100	BOTTOM OUTLET
203200Y	Ø32	SIDE OUTLET
205000Y	Ø50	SIDE OUTLET
207000Y	Ø70	SIDE OUTLET
210000Y	Ø100	SIDE OUTLET



STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT

STAINLESS FLANGE (15x15)

Anhydrous Anti-Odor Strainers



Anhydrous Anti-Odor



Code of Product	Size(Diameter)	Description
3050SKA	Ø50	BOTTOM OUTLET
3070SKA	Ø70	BOTTOM OUTLET
3100SKA	Ø100	BOTTOM OUTLET
3032SKY	Ø32	SIDE OUTLET
3050SKY	Ø50	SIDE OUTLET
3070SKY	Ø70	SIDE OUTLET
3100SKY	Ø100	SIDE OUTLET

Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : TPO, PVC, EPDM and Bituminous membrane compatible
Grid : 150 x 150 mm AISI 304 stainless steel

Classic Anti-Odor Strainer



Classic Anti-Odor



Code of Product	Size(Diameter)	Description
3050KKA	Ø50	BOTTOM OUTLET
3070KKA	Ø70	BOTTOM OUTLET
3100KKA	Ø100	BOTTOM OUTLET
3032KKY	Ø32	SIDE OUTLET
3050KKY	Ø50	SIDE OUTLET
3070KKY	Ø70	SIDE OUTLET
3100KKY	Ø100	SIDE OUTLET



Rumeli Series



Kapadokya Series



Ilgaz Series



Efes Series



Beyazıt Series



Aspendos Series



Olympus Series



Uludağ Series



Likya Series



Topkapı Series



Asos Series



Artemis Series



Hisar Series



Sumela Series




Abant Series

Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
305000A	Ø50	BOTTOM OUTLET
307000A	Ø70	BOTTOM OUTLET
310000A	Ø100	BOTTOM OUTLET
303200Y	Ø32	SIDE OUTLET
305000Y	Ø50	SIDE OUTLET
307000Y	Ø70	SIDE OUTLET
310000Y	Ø100	SIDE OUTLET

15x15

STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT WITH PLASTIC FLANGE AND NET (15x15)



Anhydrous Anti-Odor



Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : Net and liquid insulation materials
Grid : 150 x 150 mm AISI 304 stainless steel


Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
4050SKA	Ø50	BOTTOM OUTLET
4070SKA	Ø70	BOTTOM OUTLET
4100SKA	Ø100	BOTTOM OUTLET
4032SKY	Ø32	SIDE OUTLET
4050SKY	Ø50	SIDE OUTLET
4070SKY	Ø70	SIDE OUTLET
4100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
4050KKA	Ø50	BOTTOM OUTLET
4070KKA	Ø70	BOTTOM OUTLET
4100KKA	Ø100	BOTTOM OUTLET
4032KKY	Ø32	SIDE OUTLET
4050KKY	Ø50	SIDE OUTLET
4070KKY	Ø70	SIDE OUTLET
4100KKY	Ø100	SIDE OUTLET


Classic Anti-Odor




Strainers without Anti-odor feature



Code of Product	Size(Diameter)	Description
405000A	Ø50	BOTTOM OUTLET
407000A	Ø70	BOTTOM OUTLET
410000A	Ø100	BOTTOM OUTLET
403200Y	Ø32	SIDE OUTLET
405000Y	Ø50	SIDE OUTLET
407000Y	Ø70	SIDE OUTLET
410000Y	Ø100	SIDE OUTLET



STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT WITH STAINLESS STEEL FLANGE AND NET (15x15)



Anhydrous Anti-Odor

Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : Net and liquid insulation materials
Grid : 150 x 150 mm AISI 304 stainless steel

Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
5050SKA	Ø50	BOTTOM OUTLET
5070SKA	Ø70	BOTTOM OUTLET
5100SKA	Ø100	BOTTOM OUTLET
5032SKY	Ø32	SIDE OUTLET
5050SKY	Ø50	SIDE OUTLET
5070SKY	Ø70	SIDE OUTLET
5100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer


Code of Product	Size(Diameter)	Description
5050KKA	Ø50	BOTTOM OUTLET
5070KKA	Ø70	BOTTOM OUTLET
5100KKA	Ø100	BOTTOM OUTLET
5032KKY	Ø32	SIDE OUTLET
5050KKY	Ø50	SIDE OUTLET
5070KKY	Ø70	SIDE OUTLET
5100KKY	Ø100	SIDE OUTLET

Classic Anti-Odor



Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
505000A	Ø50	BOTTOM OUTLET
507000A	Ø70	BOTTOM OUTLET
510000A	Ø100	BOTTOM OUTLET
503200Y	Ø32	SIDE OUTLET
505000Y	Ø50	SIDE OUTLET
507000Y	Ø70	SIDE OUTLET
510000Y	Ø100	SIDE OUTLET





STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT STAINLESS FLANGE MEMBRANE (15x15)

Anhydrous Anti-Odor Strainers



Anhydrous Anti-Odor



Code of Product	Size(Diameter)	Description
6050SKA	Ø50	BOTTOM OUTLET
6070SKA	Ø70	BOTTOM OUTLET
6100SKA	Ø100	BOTTOM OUTLET
6032SKY	Ø32	SIDE OUTLET
6050SKY	Ø50	SIDE OUTLET
6070SKY	Ø70	SIDE OUTLET
6100SKY	Ø100	SIDE OUTLET

Application : Bathroom, kitchen, terrace, balcony and all wet areas

Insulation Type : Bituminous membrane compatible

Grid : 150 x 150 mm AISI 304 stainless steel

Classic Anti-Odor Strainer


Code of Product	Size(Diameter)	Description
6050KKA	Ø50	BOTTOM OUTLET
6070KKA	Ø70	BOTTOM OUTLET
6100KKA	Ø100	BOTTOM OUTLET
6032KKY	Ø32	SIDE OUTLET
6050KKY	Ø50	SIDE OUTLET
6070KKY	Ø70	SIDE OUTLET
6100KKY	Ø100	SIDE OUTLET

Classic Anti-Odor



Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
605000A	Ø50	BOTTOM OUTLET
607000A	Ø70	BOTTOM OUTLET
610000A	Ø100	BOTTOM OUTLET
603200Y	Ø32	SIDE OUTLET
605000Y	Ø50	SIDE OUTLET
607000Y	Ø70	SIDE OUTLET
610000Y	Ø100	SIDE OUTLET





STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT

CLOSE TO WALL (15x15)



Anhydrous Anti-Odor

Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : Fuga, cement or insulating materials
Grid : 150 x 150 mm AISI 304 stainless steel

Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
7050SKA	Ø50	BOTTOM OUTLET
7070SKA	Ø70	BOTTOM OUTLET
7100SKA	Ø100	BOTTOM OUTLET
7032SKY	Ø32	SIDE OUTLET
7050SKY	Ø50	SIDE OUTLET
7070SKY	Ø70	SIDE OUTLET
7100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
7050KKA	Ø50	BOTTOM OUTLET
7070KKA	Ø70	BOTTOM OUTLET
7100KKA	Ø100	BOTTOM OUTLET
7032KKY	Ø32	SIDE OUTLET
7050KKY	Ø50	SIDE OUTLET
7070KKY	Ø70	SIDE OUTLET
7100KKY	Ø100	SIDE OUTLET



Classic Anti-Odor



Rumeli Series



Kapadokya Series



Ilgaz Series



Efes Series



Beyazıt Series



Aspendos Series



Olımpos Series



Uludağ Series



Likya Series



Topkapı Series



Asos Series



Artemis Series



Hisar Series



Sumela Series



Abant Series

Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
705000A	Ø50	BOTTOM OUTLET
707000A	Ø70	BOTTOM OUTLET
710000A	Ø100	BOTTOM OUTLET
703200Y	Ø32	SIDE OUTLET
705000Y	Ø50	SIDE OUTLET
707000Y	Ø70	SIDE OUTLET
710000Y	Ø100	SIDE OUTLET

CERAMICS COMPATIBLE

STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT

STAINLESS FLANGE (CERAMICS COMPATIBLE)



Anhydrous Anti-Odor

- Application** : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : TPO, PVC, EPDM and Bituminous membrane compatible
Grid : 150 x 150 mm AISI 304 stainless steel

Anhydrous Anti-Odor Strainers


Code of Product	Size(Diameter)	Description
3050SKA	Ø50	BOTTOM OUTLET
3070SKA	Ø70	BOTTOM OUTLET
3100SKA	Ø100	BOTTOM OUTLET
3032SKY	Ø32	SIDE OUTLET
3050SKY	Ø50	SIDE OUTLET
3070SKY	Ø70	SIDE OUTLET
3100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
3050KKA	Ø50	BOTTOM OUTLET
3070KKA	Ø70	BOTTOM OUTLET
3100KKA	Ø100	BOTTOM OUTLET
3032KKY	Ø32	SIDE OUTLET
3050KKY	Ø50	SIDE OUTLET
3070KKY	Ø70	SIDE OUTLET
3100KKY	Ø100	SIDE OUTLET

Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
305000A	Ø50	BOTTOM OUTLET
307000A	Ø70	BOTTOM OUTLET
310000A	Ø100	BOTTOM OUTLET
303200Y	Ø32	SIDE OUTLET
305000Y	Ø50	SIDE OUTLET
307000Y	Ø70	SIDE OUTLET
310000Y	Ø100	SIDE OUTLET



CERAMICS COMPATIBLE

STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT WITH PLASTIC FLANGE AND NET (CERAMICS COMPATIBLE)

Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
4050SKA	Ø50	BOTTOM OUTLET
4070SKA	Ø70	BOTTOM OUTLET
4100SKA	Ø100	BOTTOM OUTLET
4032SKY	Ø32	SIDE OUTLET
4050SKY	Ø50	SIDE OUTLET
4070SKY	Ø70	SIDE OUTLET
4100SKY	Ø100	SIDE OUTLET

Anhydrous Anti-Odor

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
4050KKA	Ø50	BOTTOM OUTLET
4070KKA	Ø70	BOTTOM OUTLET
4100KKA	Ø100	BOTTOM OUTLET
4032KKY	Ø32	SIDE OUTLET
4050KKY	Ø50	SIDE OUTLET
4070KKY	Ø70	SIDE OUTLET
4100KKY	Ø100	SIDE OUTLET

Classic Anti-Odor

Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
405000A	Ø50	BOTTOM OUTLET
407000A	Ø70	BOTTOM OUTLET
410000A	Ø100	BOTTOM OUTLET
403200Y	Ø32	SIDE OUTLET
405000Y	Ø50	SIDE OUTLET
407000Y	Ø70	SIDE OUTLET
410000Y	Ø100	SIDE OUTLET



Rumeli Series



Kapadokya Series



Ilgaz Series



Efes Series



Beyazıt Series



Aspendos Series



Olympos Series



Uludağ Series



Likya Series



Topkapı Series



Asos Series



Artemis Series



Hisar Series



Sumela Series



Abant Series

CERAMICS COMPATIBLE

STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT

WITH STAINLESS STEEL FLANGE AND NET (CERAMICS COMPATIBLE)

Anhydrous Anti-Odor Strainers



Anhydrous Anti-Odor



Code of Product	Size(Diameter)	Description
5050SKA	Ø50	BOTTOM OUTLET
5070SKA	Ø70	BOTTOM OUTLET
5100SKA	Ø100	BOTTOM OUTLET
5032SKY	Ø32	SIDE OUTLET
5050SKY	Ø50	SIDE OUTLET
5070SKY	Ø70	SIDE OUTLET
5100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
5050KKA	Ø50	BOTTOM OUTLET
5070KKA	Ø70	BOTTOM OUTLET
5100KKA	Ø100	BOTTOM OUTLET
5032KKY	Ø32	SIDE OUTLET
5050KKY	Ø50	SIDE OUTLET
5070KKY	Ø70	SIDE OUTLET
5100KKY	Ø100	SIDE OUTLET



Classic Anti-Odor



Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
505000A	Ø50	BOTTOM OUTLET
507000A	Ø70	BOTTOM OUTLET
510000A	Ø100	BOTTOM OUTLET
503200Y	Ø32	SIDE OUTLET
505000Y	Ø50	SIDE OUTLET
507000Y	Ø70	SIDE OUTLET
510000Y	Ø100	SIDE OUTLET



Rumeli Series



Kapadokya Series



Ilgaz Series



Efes Series



Beyazıt Series



Aspendos Series



Olympos Series



Uludağ Series



Likya Series



Topkapı Series



Asos Series



Artemis Series



Hisar Series



Sumela Series



Abant Series

STAINLESS FLANGE MEMBRANE (CERAMICS COMPATIBLE)

STAINLESS FLANGE MEMBRANE (CERAMICS COMPATIBLE)

Anhydrous Anti-Odor Strainers





Code of Product	Size(Diameter)	Description
6050SKA	Ø50	BOTTOM OUTLET
6070SKA	Ø70	BOTTOM OUTLET
6100SKA	Ø100	BOTTOM OUTLET
6032SKY	Ø32	SIDE OUTLET
6050SKY	Ø50	SIDE OUTLET
6070SKY	Ø70	SIDE OUTLET
6100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer



Code of Product	Size(Diameter)	Description
6050KKA	Ø50	BOTTOM OUTLET
6070KKA	Ø70	BOTTOM OUTLET
6100KKA	Ø100	BOTTOM OUTLET
6032KKY	Ø32	SIDE OUTLET
6050KKY	Ø50	SIDE OUTLET
6070KKY	Ø70	SIDE OUTLET
6100KKY	Ø100	SIDE OUTLET



Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
605000A	Ø50	BOTTOM OUTLET
607000A	Ø70	BOTTOM OUTLET
610000A	Ø100	BOTTOM OUTLET
603200Y	Ø32	SIDE OUTLET
605000Y	Ø50	SIDE OUTLET
607000Y	Ø70	SIDE OUTLET
610000Y	Ø100	SIDE OUTLET

CERAMICS COMPATIBLE

STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT

CLOSE TO WALL (CERAMICS COMPATIBLE)



Anhydrous Anti-Odor

Application : Bathroom, kitchen, terrace, balcony and all wet areas
Insulation Type : Fuga, cement or insulating materials
Grid : 150 x 150 mm AISI 304 stainless steel



Classic Anti-Odor



Anhydrous Anti-Odor Strainers

Code of Product	Size(Diameter)	Description
7050SKA	Ø50	BOTTOM OUTLET
7070SKA	Ø70	BOTTOM OUTLET
7100SKA	Ø100	BOTTOM OUTLET
7032SKY	Ø32	SIDE OUTLET
7050SKY	Ø50	SIDE OUTLET
7070SKY	Ø70	SIDE OUTLET
7100SKY	Ø100	SIDE OUTLET

Classic Anti-Odor Strainer

Code of Product	Size(Diameter)	Description
7050KKA	Ø50	BOTTOM OUTLET
7070KKA	Ø70	BOTTOM OUTLET
7100KKA	Ø100	BOTTOM OUTLET
7032KKY	Ø32	SIDE OUTLET
7050KKY	Ø50	SIDE OUTLET
7070KKY	Ø70	SIDE OUTLET
7100KKY	Ø100	SIDE OUTLET

Strainers without Anti-odor feature

Code of Product	Size(Diameter)	Description
705000A	Ø50	BOTTOM OUTLET
707000A	Ø70	BOTTOM OUTLET
710000A	Ø100	BOTTOM OUTLET
703200Y	Ø32	SIDE OUTLET
705000Y	Ø50	SIDE OUTLET
707000Y	Ø70	SIDE OUTLET
710000Y	Ø100	SIDE OUTLET





■ ADJUSTABLE TO CERAMICS SHOWER TRAYS

Close to Wall Shower Trays



Code of Product	Size(Diameter)	Description
M9501-80	80cm	Platinyum Series
M9502-80	80cm	Diva Series
M9503-80	80cm	Riva Series
M9504-80	80cm	Elegant Series
M9505-80	80cm	Safir Series

Aesthetic and functional new generation of shower grids are now available for our customers. Easy installation close to bathroom walls prevents discomfort caused to your feet before by shower trays of previous generation. Depth of new shower tray prevents risk of flood, it's water flow rate reaches capacity of 60 liters / sec

Standard Dimensions

40cm - 50cm - 65cm - 80cm

Manufacturing is done according to custom size of area



shower grids

■ ADJUSTABLE TO CERAMICS SHOWER TRAYS

Close to Wall Shower Trays

Code of Product	Size(Diameter)	Description
M9501-80	80cm	Platinyum Series
M9502-80	80cm	Diva Series
M9503-80	80cm	Riva Series
M9504-80	80cm	Elegant Series
M9505-80	80cm	Safir Series






Aesthetic and functional new generation of shower grids are now available for our customers. Easy installation close to bathroom walls prevents discomfort caused to your feet before by shower trays of previous generation. Depth of new shower tray prevents risk of flood, it's water flow rate reaches capacity of 60 liters / sec

Standard Dimensions

40cm - 50cm - 65cm - 80cm

Manufacturing is done according to custom size of area





■ CLASSIC SHOWER TRAYS






Close to Wall Shower Trays


Code of Product	Size(Diameter)	Description
M9201-80	80cm	Platinum series side outlet triangular shower trays
M9202-80	80cm	Diva series side outlet triangular shower trays
M9203-80	80cm	Riva series side outlet triangular shower trays
M9204-80	80cm	Elegant series side outlet triangular shower trays
M9205-80	80cm	Safir series side outlet triangular shower trays
M9301-80	80cm	Platinum series bottom outlet triangular shower trays
M9302-80	80cm	Diva series bottom outlet triangular shower trays
M9303-80	80cm	Riva series bottom outlet triangular shower trays
M9304-80	80cm	Elegant series bottom outlet triangular shower trays
M9305-80	80cm	Safir series bottom outlet triangular shower trays

Standard Dimensions

40cm - 50cm - 65cm - 80cm

Manufacturing is done according to custom size of area






■ Triangular Shower Trays

Close to Wall Shower Trays

Code of Product	Size(Diameter)	Description
-----------------	----------------	-------------

M9501-80	80cm	Mega Serisi side outlet triangular shower trays
----------	------	---

M9501-80	80cm	Mega Serisi bottom outlet triangular shower trays
----------	------	---



Mega Series






Standard Dimensions

(26 x 40cm) Manufacturing is done according to custom size of area






STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT INSULATION COMPATIBLE

SIDE OUTLET






BOTTOM OUTLET






STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT CLOSE TO WALL

SIDE OUTLET





BOTTOM OUTLET





■ STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT CERAMICS AND NET COMPATIBLE






■ SIDE OUTLET









BOTTOM OUTLET









■ STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT CERAMICS COMPATIBLE









■ STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT CERAMICS AND NET COMPATIBLE



■ STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT CERAMICS AND NET COMPATIBLE



■ STRAINERS WITH HEIGHT CONTROL AND ISOLATION SKIRT CERAMICS AND NET COMPATIBLE



Efes Series / Bottom Outlet

A close-up photograph of the Efes Series Bottom Outlet. The outlet consists of a square metal grate with a circular drain hole, mounted on a yellow curb. The grate is secured with a circular metal cap. The surrounding area is paved with reddish-brown tiles.



Efes Series / Side Outlet



A close-up photograph of the Efes Series Side Outlet drain assembly. The assembly consists of a square, silver-colored metal grate with a star-like pattern of slats. Below the grate is a cylindrical, ribbed metal body that is partially submerged in a pool of water. The drain is installed in a corner where two reddish-brown square tiles meet. A yellow plastic curb or channel is visible along the edge of the tiles. A circular, perforated metal mesh is visible on the floor surface near the drain body. The entire image is framed by a thick orange border.



Kapadokya Series / Bottom Outlet



Kapadokya Series / Side Outlet




Asos Series / Side Outlet



Asos Series / Bottom Outlet

This image shows a close-up of the Asos Series Bottom Outlet. It features a square grate with a circular drain cover. A yellow foam seal is visible around the drain cover, and a grey pipe extends downwards from the center. The outlet is installed in a concrete base with a yellow foam sealant applied around the perimeter.




Artemis Series / Bottom Outlet

A close-up photograph of the Artemis Series Bottom Outlet drain. The drain features a square, perforated metal grate mounted on a circular base. It is installed in a floor corner where reddish-brown square tiles meet a grey concrete or stone surface. A yellow foam sealant is visible around the base of the drain, and a grey mesh filter is partially visible beneath the grate.




Artemis Series / Side Outlet



Aspendos Series / Bottom Outlet

A close-up photograph of the Aspendos Series Bottom Outlet drain assembly. The assembly features a square, silver-colored metal grate with a circular logo in the center, mounted on a white, cylindrical body. The drain is installed in a corner of a roof, with a yellow and blue waterproofing membrane visible around the base. The roof surface is made of reddish-brown tiles.




Aspendos Series / Side Outlet



Olympos Series / Bottom Outlet

A close-up photograph of the Olympus Series / Bottom Outlet. The outlet is installed on a wooden deck. It features a square metal cap with a circular logo, a threaded metal riser, and a grey PVC pipe extending from the deck.




Olympos Series / Side Outlet

A close-up photograph of the Olympos Series Side Outlet drain assembly. The assembly is installed in a corner of a roof, where a brown tiled roof meets a grey metal roof edge. The drain features a square, silver-colored metal cover with a circular logo in the center. A coiled, flexible metal hose connects the cover to a grey, rigid side outlet pipe that extends downwards. The roof structure shows multiple layers, including a yellow insulation layer and a blue waterproofing membrane.



Uludağ Series / Bottom Outlet



Uludağ Series / Side Outlet



This image shows a close-up of the Uludağ Series Side Outlet drain. It features a square stainless steel grate with a circular pattern, mounted on a side outlet pipe. The drain is installed in a corner of a shower pan, which is made of a composite material with a yellow and blue layer. The surrounding floor is covered in reddish-brown square tiles.



Truva Series / Bottom Outlet


A close-up photograph of the Truva Series Bottom Outlet drain assembly. The assembly consists of a square, silver-colored metal grate with a star-like pattern, mounted on a white plastic base. The base is secured to a concrete shower pan with a yellow adhesive strip. The drain is positioned at the edge of the shower pan, where it meets a grey wall or curb.

INSTALLATION EXAMPLES

Ayasofya Series / Side Outlet




Ayasofya Series / Bottom Outlet




Truva Series / Side Outlet




Abant Series / Bottom Outlet




Topkapı Series / Bottom Outlet




Topkapı Series / Side Outlet



Hisar Series / Bottom Outlet




Abant Series / Side Outlet




Hisar Series / Side Outlet




Amanos Series



İlgaz Series / Side Outlet



İlgaz Series / Bottom Outlet



Abant Series



Olympos Series



Truva Series





SG TECHNOLOGY
Industry & Trade Corporation

innovativestyle



**maxdrain®**
maximum drainage system

Authorized Dealer

Phone : +90 (282) 650 00 51 (Pbx) Fax : +90 (282) 650 01 94 E-Mail : info@maxdrain.com
Address : Muhittin Mah.Çetin Emeç Bulvarı No : 42/1 Çorlu / TEKİRDAĞ - TURKEY

www.maxdrain.com